

To cite this article: Eric Sifuna Siunduh, Anselemo Peters Ikoha and Martha Muthoni Konje (2025). ADOPTION OF MACHINE LEARNING TECHNOLOGIES IN MITIGATION OF CLIMATE CHANGE RISKS IN NORTH RIFT, KENYA, International Journal of Applied Science and Engineering Review (IJASER) 6 (4): 30-47 Article No. 236 Sub Id 363

---

## ADOPTION OF MACHINE LEARNING TECHNOLOGIES IN MITIGATION OF CLIMATE CHANGE RISKS IN NORTH RIFT, KENYA

Eric Sifuna Siunduh<sup>1</sup>, Anselemo Peters Ikoha<sup>2</sup> Martha Muthoni Konje<sup>3</sup>

<sup>1</sup>Kibabii University, School of Computing and Informatics,  
Bungoma, Kenya  
esifuna@kibu.ac.ke

<sup>2</sup>Kibabii University, School of Computing and Informatics,  
Bungoma, Kenya  
apeters@kibu.ac.ke

<sup>3</sup>Kibabii University, Faculty of Science,  
Bungoma, Kenya  
mkonje@kibu.ac.ke

DOI: <https://doi.org/10.52267/IJASER.2025.6402>

### ABSTRACT

This study examines the implementation and effectiveness of Machine Learning (ML) technologies in addressing climate change risks within Kenya's North Rift region. The research investigates how ML applications are being utilized to enhance climate resilience, improve agricultural practices, and support decision-making processes in climate risk management. Through a mixed-methods approach combining quantitative data analysis and qualitative stakeholder interviews, this study evaluates the current state of ML adoption, identifies key challenges, and assesses the impact on local communities. Findings indicate that while ML adoption is still in its early stages, there is significant potential for these technologies to improve climate risk prediction, optimize resource allocation, and enhance adaptation strategies. The study reveals that successful implementation requires addressing infrastructure limitations, building local capacity, and ensuring community engagement. This research contributes to the growing body of knowledge on technological solutions for climate change adaptation in developing regions and provides practical recommendations for policymakers and practitioners.

**KEYWORDS:** Machine Learning, Climate Change, Risk Mitigation, Agricultural Technology

## 1. INTRODUCTION

Climate change presents significant challenges to the North Rift region of Kenya, threatening agricultural productivity, water resources, and community livelihoods. The region, known for its agricultural significance and diverse ecosystems, faces increasingly unpredictable weather patterns, prolonged droughts, and extreme weather events. In response to these challenges, there is growing interest in leveraging machine learning technologies to enhance climate risk mitigation strategies.

The study examines how ML technologies are being adopted and implemented in the North Rift region, focusing on their application in Climate prediction and early warning systems, Agricultural decision support, Resource management optimization and Risk assessment and mitigation planning. The study aims to evaluate the effectiveness of current ML implementations, identify barriers to adoption, and assess the potential for scaling successful solutions across the region.

## 2. Literature Review

The application of machine learning in climate change risk mitigation has emerged as a crucial area of research, particularly in developing regions facing immediate climate challenges. Recent literature reveals significant advances across multiple domains, with researchers increasingly focusing on practical implementation challenges and solutions. Understanding long-term trends in climatic variables is essential for assessing climate change impacts on regional ecosystems and human livelihoods (Makokha et al., 2024).

In the realm of weather prediction, Zhang et al. (2023) documented substantial improvements through deep learning applications, showing 15-25% better accuracy compared to traditional methods. Their work highlighted the particular effectiveness of LSTM networks in capturing complex weather patterns. Building on this, Kumar & Patel (2024) demonstrated how integrating satellite data with ML models could further enhance prediction accuracy by up to 30%, particularly benefiting rural areas with limited ground-based monitoring infrastructure.

Crop yield prediction has seen notable evolution, as documented in Singh & Martinez's (2023) comprehensive meta-analysis of 50 African implementation cases. Their research demonstrated an 18% improvement in prediction accuracy over conventional methods. A particularly interesting development emerged from Ochieng & Kimani's (2024) study, which found that incorporating traditional farming knowledge into ML models improved accuracy by 22% while simultaneously enhancing model interpretability and community adoption.

Resource optimization applications have shown promising results, especially in water management. Ahmed & Thompson's (2024) analysis of 30 case studies revealed average water usage reductions of 25% through ML-based management systems. The World Bank's 2023 study further validated these findings, documenting successful implementations across irrigation optimization, soil nutrient management, and pest control resource allocation.

Risk assessment systems have demonstrated particular promise in improving climate resilience. Chen & Kumar's (2023) systematic review found ML models enhanced risk prediction accuracy by 35% while improving community response times by 40%. This improvement in early warning capabilities has proven crucial for community resilience.

However, implementation challenges persist. Mohammed & Wilson (2024) identified critical factors including infrastructure requirements, technical capacity needs, and data management challenges. Their research emphasized the importance of reliable power supply, internet connectivity, and local expertise development. The United Nations Development Programme (2023) has highlighted the need for low-resource ML solutions and resilient system design to address these challenges.

Recent work by Thompson et al. (2024) has emphasized the importance of capacity building, suggesting focused approaches to local expertise development and sustainable training programs. Rodriguez & Kim (2024) further stress the need for region-specific model adaptation and community-driven development approaches.

Significant research gaps remain, particularly in long-term impact assessment and integration frameworks. Limited studies exist on the long-term effectiveness of ML implementations and their impact on community resilience. Additionally, there's a pressing need for standardized protocols and interoperability studies to ensure system sustainability.

Anderson & Smith (2024) point to emerging opportunities in agricultural systems, while Brown & Johnson (2023) document successful case studies from East Africa. These studies collectively suggest that while technical solutions continue to improve, successful implementation requires careful consideration of local contexts, infrastructure limitations, and capacity building needs.

The literature indicates a clear trend toward more integrated, locally adapted solutions that combine technical innovation with traditional knowledge and community engagement. Future research directions suggest a focus on developing more resilient, low-resource solutions while building local capacity and ensuring long-term sustainability.

This evolving body of research demonstrates both the significant potential and persistent challenges in implementing ML solutions for climate change risk mitigation. Success appears to depend not just on technical excellence but on thoughtful integration with local knowledge systems and careful attention to community needs and capabilities.

### **3. METHODOLOGY**

#### **3.1 Research Design and Rationale**

This study adopted a mixed-methods research design, combining both quantitative and qualitative approaches to provide a comprehensive understanding of the adoption and effectiveness of machine learning (ML) in climate change risk mitigation. The rationale for this approach was to triangulate findings from multiple data sources, thereby enhancing the validity and reliability of the research outcomes. The study spanned 18 months, from June 2023 to December 2024, and targeted five counties in Kenya's North Rift region: Uasin Gishu, Elgeyo Marakwet, Nandi, West Pokot, and Trans Nzoia. These counties heavily rely on rain-fed agriculture, making effective weather forecasting and environmental monitoring critical for increasing productivity and ensuring sustainable land use (Makokha, Barasa, & Khamala, 2025).

#### **3.2 Sampling Techniques**

A multi-stage sampling method was employed. Stratified sampling was used to select representative counties based on agro-ecological zones. Purposive sampling identified key stakeholders such as farmers, agricultural officers, and technology developers. Simple random sampling was used to distribute surveys among general community members within selected counties.

#### **3.3 Data Collection Methods**

Data was collected through Surveys of 250 stakeholders including farmers, local government officials, and technology implementers, Semi-structured interviews with 30 key informants, Analysis of climate and agricultural data from local weather stations and agricultural extension offices and Review of existing ML implementation projects and their outcomes

##### **3.3.1 Quantitative Data**

Structured questionnaires were administered to farmers and local officials. The questionnaires covered topics such as awareness of ML applications, usage frequency, observed benefits, and barriers to adoption.

##### **3.3.2 Qualitative Data**

In-depth interviews and focus group discussions were conducted with agricultural experts, ML developers, and local leaders. These discussions sought to capture nuanced insights into implementation challenges and socio-cultural barriers.

### 3.3.3 Secondary Data

Historical climate data, agricultural yields, and resource management records were collected from Kenya Meteorological Department, Agricultural Extension Offices and Academic and policy research databases

### 3.4 Instrument Development and Validation

Survey and interview instruments were developed based on prior studies and pre-tested in a pilot phase involving 20 respondents. Reliability was assessed using Cronbach's alpha (achieved score: 0.87), while content validity was confirmed by expert review.

### 3.5 Machine Learning Model Evaluation

The study reviewed and tested ML implementations focusing on Weather prediction models (LSTM, Random Forest), Crop yield predictors (XGBoost, Neural Networks) and Resource optimization systems (Reinforcement Learning-based irrigation systems). Performance metrics used were Accuracy, Precision, Recall, F1 Score and Root Mean Square Error (for regression models)

### 3.6 Data Analysis

Quantitative data was analyzed using SPSS and R, applying descriptive statistics, correlation analysis, and regression modeling. Qualitative data was coded and analyzed thematically using NVivo software. Triangulation ensured cross-validation of results. ML models were evaluated using standard performance metrics including accuracy, precision, recall, F1 Score and Root Mean Square Error

### 3.7 Ethical Considerations


Ethical approval was obtained from School of Graduate Studies, Kibabii University. Participants provided informed consent, and all data was anonymized. Special care was taken to respect cultural norms during interviews.

## 4. RESULTS AND DISCUSSION

### 4.1 Current State of ML Adoption


The research revealed that the current state of ML adoption in the North Rift region demonstrates varying levels of implementation success across different applications, with weather prediction emerging as the dominant sector representing 35% of all ML implementations. This prominence in weather prediction applications can be attributed to several factors, including the immediate practical value for farmers, robust availability of historical weather data, and the relative maturity of ML weather prediction models. Agricultural planning follows as the second most prevalent application at 25%, while resource management accounts for 20% of implementations. The high concentration in these areas reflects both the

urgent need for climate-related decision support tools and the relatively strong institutional support from meteorological services and agricultural extension programs.



**Figure 1: ML Application Distribution**

Infrastructure capacity analysis reveals significant regional variations that directly impact ML adoption patterns. Urban and peri-urban areas, particularly in major agricultural zones, show higher adoption rates due to better technical infrastructure and more reliable internet connectivity. However, remote areas face substantial challenges in implementing and maintaining ML systems, leading to uneven adoption patterns across the region. The effectiveness of implementations varies considerably, with weather prediction systems showing the highest success rates at 78%, while crop yield prediction systems achieve lower success rates around 65%. This disparity reflects the complex interplay between technical requirements, data availability, and local capacity for system maintenance and operation. These patterns suggest that while ML adoption is progressing, significant work remains to ensure equitable access and effective implementation across all areas of the North Rift region.




**Figure 2: Regional Infrastructure Capacity**

The radar chart reveals significant infrastructure disparities between urban, peri-urban, and rural areas. Urban areas show consistently higher capacity across all metrics (internet connectivity, technical support, power reliability, and data quality), while rural areas face substantial challenges with much lower scores across all dimensions. This infrastructure gap directly impacts ML implementation success rates and highlights areas needing investment to ensure equitable access to ML technologies across the region.

## 4.2 Implementation Effectiveness

### 4.2.1 Performance Metrics

Analysis of ML implementation effectiveness revealed varying success rates across different applications (Wanjiku & Ndungu, 2023). The effectiveness of ML implementations varied significantly across different applications.



**Figure 3: Performance Trends of Key ML Applications**

This line graph illustrates the performance trends of three key machine learning applications - Weather Prediction, Crop Yield Prediction, and Resource Optimization - over a five-month period from January to May.

Weather Prediction (shown in blue) demonstrates the highest performance levels throughout the period, starting at approximately 75% in January and showing steady improvement to reach nearly 85% by May. This superior performance aligns with research indicating that weather prediction benefits from more robust historical data and established meteorological models. The consistent upward trend suggests ongoing refinement of the ML models and possibly improved data collection methods over time.

Resource Optimization (depicted in yellow/orange) maintains the second-best performance level, beginning at around 70% in January and gradually improving to approximately 80% by May. The

trajectory closely parallels that of weather prediction, though consistently performing about 5 percentage points lower. This pattern might indicate that resource optimization algorithms benefit from improved weather predictions, as resource management decisions often depend on weather conditions.

Crop Yield Prediction (shown in green) consistently shows the lowest performance of the three applications, starting at about 65% in January and improving to roughly 75% by May. While following a similar upward trend, the lower overall performance likely reflects the greater complexity of crop yield prediction, which must account for multiple variables including weather, soil conditions, farming practices, and pest pressures.

Several notable patterns emerge from this visualization including Consistent Improvement where all three applications show steady improvement over the five-month period, the rate of improvement is relatively consistent across all applications and the performance gaps between applications remain fairly stable. Secondly, Performance Hierarchy shows Weather Prediction that maintains its leadership position throughout, Resource Optimization consistently holds the middle position and Crop Yield Prediction remains the most challenging application.

Thirdly, Growth Characteristics where the steepest improvements appear in the early months (January to March), the rate of improvement appears to slow slightly in later months (April to May) and none of the applications shows any significant performance degradation.

Fourthly, Performance Gaps are visible where approximately 5-10 percentage points separate each application, these gaps remain relatively constant, suggesting systematic rather than random differences and stability of these gaps indicate fundamental differences in prediction difficulty.

The visualization suggests several important implications for ML implementation in agricultural and resource management contexts which include Progressive Refinement where ML models show continuous improvement over time, the steady upward trends suggest successful model training and optimization and the slowing improvement rate indicate approaching performance plateaus. Secondly, the visualization displays Inter-relationship where parallel trends suggest interdependence between these systems, Improvements in weather prediction could be driving advances in other areas and Similar external factors might be affecting all three applications. Thirdly, Implementation Maturity which shows Weather prediction's higher performance likely reflecting its longer history of ML application, the lower but improving performance of crop yield prediction suggests an emerging application and the intermediate position of resource optimization might indicate moderate implementation maturity.

This data visualization effectively demonstrates both the progress and challenges in implementing ML solutions for agricultural and environmental management. The consistent improvement across all applications suggests successful implementation strategies, while the persistent performance gaps highlight areas needing additional research and development focus.

Future research will benefit from investigating Factors driving the consistent performance gaps between applications, Reasons for the apparent slowing of improvement rates, Potential synergies between these different ML applications and Strategies for accelerating improvement in lower-performing applications. The performance data indicates a steady improvement in ML model accuracy over time, particularly in weather prediction applications. This aligns with findings from Zhang et al. (2023) regarding the learning curve of ML implementations in agricultural settings.

Machine learning applications in North Rift, Kenya's climate change risk mitigation efforts show varying degrees of success across different areas, with weather prediction emerging as the most successful implementation at 78% success rate (Zhang et al., 2023). Despite challenges with data quality, weather prediction maintains a high impact level due to its critical role in agricultural planning and disaster preparedness.

Crop yield prediction, achieving a 65% success rate, faces significant challenges due to limited historical data availability. This medium-impact application struggles with incomplete records and inconsistent reporting methods across farming communities. However, recent studies suggest that integrating traditional farming knowledge with ML algorithms could improve prediction accuracy by up to 12% (Otieno & Kiprop, 2023).

Resource optimization applications demonstrate strong potential with a 72% success rate, despite infrastructure challenges. These systems, primarily focused on water management and soil nutrient optimization, have helped reduce water usage by up to 30% in pilot projects (World Bank, 2023). The high impact level reflects the critical importance of resource management in the region, though implementation is hampered by limited internet connectivity and insufficient computing resources.

Risk assessment applications, achieving a 70% success rate, show promise but face technical expertise limitations. The medium impact level reflects implementation challenges, particularly the shortage of local technical expertise for model development and maintenance (Wanjiku & Ndungu, 2023). This has led to difficulties in adapting and maintaining systems to local contexts.

Cross-cutting challenges affect all applications to varying degrees, with data quality and infrastructure limitations being the most prevalent (Hassan & Mohammed, 2023). Success rates correlate strongly with available infrastructure and technical capacity, suggesting that investments in these areas could improve overall implementation effectiveness.

The analysis indicates that weather prediction and resource optimization applications currently offer the highest return on investment, given their higher success rates and impact levels. However, all applications show potential for improvement through targeted interventions in data collection, infrastructure development, and technical capacity building (Martinez & Kumar, 2023).

Future success in implementing these ML applications depends on addressing core challenges through Improved data collection and management systems, Enhanced infrastructure development in rural areas, Increased investment in local technical capacity building, Integration of traditional knowledge with ML systems and Development of resilient, low-resource ML solutions.

These findings suggest that while ML applications show significant promise in climate change risk mitigation, their successful implementation requires a balanced approach addressing both technical and human capacity challenges (Ahmed & Smith, 2023). The varying success rates across applications indicate the need for targeted interventions based on specific application requirements and local contexts.

#### 4.2.2 Impact Assessment

The impact of ML implementations was evaluated across multiple dimensions, following the framework proposed by Hassan & Mohammed (2023) as shown in Table 1.

**Table 1: Evaluation of Impact of ML implementation**

Application Area	Success Rate	Key Challenges	Impact Level
Weather Prediction	78%	Data Quality	High
Crop Yield Prediction	65%	Limited Historical Data	Medium
Resource Optimization	72%	Infrastructure	High

Risk Assessment	70%	Technical Expertise	Medium
-----------------	-----	---------------------	--------

Weather prediction emerged as the most successful application of machine learning in the North Rift region, achieving a 78% success rate. According to Zhang et al. (2023), this relatively high success rate can be attributed to the increasing sophistication of weather modeling algorithms and the growing availability of satellite data. However, data quality remains a significant challenge, particularly in remote areas where weather monitoring infrastructure is limited.

The high impact level of weather prediction applications stems from their direct influence on agricultural decision-making and disaster preparedness. Recent studies by Hassan & Mohammed (2023) demonstrate that ML-based weather forecasting systems have improved prediction accuracy by 15-20% compared to traditional methods, particularly for extreme weather events. This improvement has proven crucial for farmers in the North Rift region, where climate variability has increased significantly in recent years.

Data quality challenges manifest in several ways which include Inconsistent data collection methodologies across different weather stations, Gaps in historical weather records, Calibration issues with monitoring equipment and Limited integration of traditional weather knowledge systems

Despite these challenges, Ahmed & Smith (2023) note that the high impact level justifies continued investment in weather prediction systems, particularly given their critical role in early warning systems for extreme weather events.

With a 65% success rate, crop yield prediction applications face more significant challenges, primarily due to limited historical data. Johnson & Patel (2023) identify this as a common issue in developing regions, where systematic crop yield data collection has only recently been implemented. The medium impact level reflects both the potential value of these predictions and the current limitations in their accuracy.

The limited historical data challenge is compounded by several factors include Incomplete records of past crop yields, Inconsistent reporting methods across different farming communities, Limited documentation of traditional farming practices and Lack of standardized measurement protocols.

Recent research by Otieno & Kiprop (2023) suggests that incorporating indigenous knowledge systems and participatory data collection methods could help address these limitations. Their study showed that

combining traditional farming knowledge with ML algorithms improved prediction accuracy by 12% compared to purely data-driven approaches.

Resource optimization applications achieved a 72% success rate, demonstrating significant potential despite infrastructure challenges. According to Martinez & Kumar (2023), these applications focus primarily on water resource management, soil nutrient optimization, and pest control resource allocation. The high impact level reflects the critical importance of resource optimization in a region facing increasing resource constraints. The World Bank (2023) reports that ML-based resource optimization systems have helped reduce water usage by up to 30% in pilot projects across the North Rift region.

Infrastructure challenges include Limited internet connectivity in rural areas, Insufficient computing resources for real-time optimization, Unreliable power supply affecting system operation and Limited sensor networks for data collection

Chen et al. (2023) emphasize that addressing these infrastructure challenges requires a combination of technological innovation and policy support. Their research suggests that hybrid systems combining edge computing with cloud-based processing could help overcome some infrastructure limitations.

Risk assessment applications achieved a 70% success rate, with technical expertise identified as the key challenge. The medium impact level reflects the current state of implementation, where the potential benefits are recognized but not fully realized due to capacity constraints.

Wanjiku & Ndungu (2023) highlight that effective risk assessment requires sophisticated modeling capabilities and deep domain knowledge. The shortage of local technical expertise has led to Limited capacity for model development and adaptation, Challenges in maintaining and updating systems, Difficulties in interpreting and acting on risk assessments and Reduced ability to integrate local context into risk models.

The Food and Agriculture Organization (2023) suggests that building local technical capacity through training programs and knowledge transfer initiatives is crucial for improving the effectiveness of risk assessment applications.

Analysis of these four application areas reveals several cross-cutting themes:


- i. Data Management Challenges: Research by Kimutai & Ochieng (2023) indicates that data-related issues affect all application areas to varying degrees. They recommend developing standardized data collection protocols and investing in data quality assurance systems.

- ii. Infrastructure Dependencies: The World Meteorological Organization (2023) emphasizes that infrastructure limitations affect all ML applications, though their impact varies by application type. They suggest that developing resilient, low-resource ML solutions could help address these challenges.
- iii. Capacity Building Needs: Odhiambo & Kimani (2023) highlight the critical importance of building local technical capacity across all application areas. Their research shows that successful implementations typically involve significant investment in training and knowledge transfer.

The analysis of these application areas suggests several key considerations for future development:

- i. Investment Prioritization: Given the varying success rates and impact levels, Smith & Brown (2023) recommend prioritizing investments in weather prediction and resource optimization applications while building capacity for other applications.
- ii. Technical Innovation: The United Nations Development Programme (2023) suggests that developing locally appropriate technical solutions could help address the challenges identified across all application areas.
- iii. Policy Support: According to recent studies by Hassan & Mohammed (2023), successful implementation requires robust policy frameworks that support infrastructure development, capacity building, and data management initiatives.

This analysis demonstrates that while ML applications show significant promise in climate change risk mitigation, their successful implementation requires a comprehensive approach addressing technical, infrastructural, and human capacity challenges. The varying success rates and impact levels suggest the need for targeted interventions based on application-specific requirements and local context.



**Figure 4: Impact Assessment on Resource Management and Community Adaptation**

Key findings include Agricultural Productivity with 75% positive impact through improved decision-making, 15% neutral impact due to implementation challenges and 10% negative impact primarily from initial adoption difficulties. Resource Management achieved 65% positive impact through optimization, 25% neutral impact and 10% negative impact from system limitations. Community adaptation achieved 60% positive impact, 30% neutral impact and 10% negative impact.

The performance data indicates a steady improvement in ML model accuracy over time, particularly in weather prediction applications. This aligns with findings from Zhang et al. (2023) regarding the learning curve of ML implementations in agricultural settings.

### 4.3 Implementation Challenges

Stakeholder interviews across the North Rift region revealed significant technical challenges impeding the successful implementation of machine learning solutions for climate change risk mitigation. The primary technical obstacles centered around data quality and availability, with organizations struggling to overcome inconsistent data collection methods, limited historical datasets, and persistent data standardization issues. Infrastructure limitations further complicated implementation efforts, as many areas faced unreliable internet connectivity, insufficient computing resources, and unstable power supply. These technical challenges created substantial barriers to the effective deployment and operation of ML systems, particularly in remote and rural areas.

The human capital dimension presented equally significant challenges, with two main areas of concern emerging from the analysis. Technical expertise proved to be a major limitation, characterized by a scarcity of local ML expertise, prohibitively high costs of training programs, and a persistent brain drain as skilled professionals migrated to urban areas. Community engagement posed additional challenges, with many stakeholders reporting significant resistance to technology adoption, limited understanding of ML benefits among local populations, and various cultural barriers that hindered implementation. These human capital challenges often interacted with and amplified the technical difficulties, creating complex obstacles that required comprehensive solutions addressing both technical and social aspects of ML implementation.

### 4.4 Success Factors

Case study analysis revealed several critical success factors in implementing machine learning solutions for climate change risk mitigation in the North Rift region. Stakeholder engagement emerged as a fundamental component, with early community involvement playing a pivotal role in project success. Organizations that prioritized clear communication of benefits and established regular feedback mechanisms demonstrated significantly higher adoption rates and sustained implementation. Similarly,

comprehensive technical support proved essential, with successful projects consistently featuring robust training programs, ongoing technical assistance, and dedicated efforts toward building local capacity. These elements collectively created a supportive ecosystem that enabled communities to effectively utilize and maintain ML systems over time.

Infrastructure development represented another crucial success factor, with strategic investments serving as the foundation for sustainable implementation. Projects that established effective public-private partnerships showed greater resilience and resource availability, while innovative resource sharing arrangements helped overcome common infrastructure limitations. The most successful implementations typically combined all these elements - strong stakeholder engagement, comprehensive technical support, and strategic infrastructure development - creating a synergistic effect that enhanced overall project outcomes. This integrated approach helped communities overcome initial adoption challenges while building long-term sustainability into their ML implementations for climate change risk mitigation.

## **5. CONCLUSION**

The adoption of machine learning in the North Rift region of Kenya offers a compelling pathway to enhancing resilience against climate change impacts. The study demonstrates that ML technologies, particularly in weather forecasting and resource optimization, can substantially improve agricultural productivity, reduce resource waste, and enable proactive risk management. However, the implementation is challenged by infrastructural limitations, data quality issues, and a shortage of local technical expertise. The analysis reveals that the success of ML applications is closely tied to contextual factors such as infrastructure, community engagement, and policy support. High success rates in weather prediction (78%) and resource optimization (72%) underline the importance of mature datasets and robust models, while lower rates in crop yield prediction (65%) and risk assessment (70%) point to areas requiring more research and investment.

In conclusion, ML has transformative potential, but its successful deployment in North Rift depends on a synergistic strategy that aligns technological innovation with capacity building and infrastructural development.

## **6. RECOMMENDATIONS FROM THE STUDY**

### **6.1 Policy Recommendations**

To effectively harness machine learning (ML) in agriculture, it is imperative to develop a comprehensive national policy framework that integrates ML technologies with climate resilience strategies. Such a framework will provide a structured approach to guiding innovation and resource allocation. Additionally, the government should offer tax incentives and grants to encourage the development of ML solutions,

particularly those tailored for rural agricultural contexts where the need is greatest. To streamline regional efforts and ensure cohesive implementation, it is also recommended that a regional ML implementation coordination center be established in the North Rift region. This center would serve as a hub for research, deployment, and monitoring of ML initiatives in agriculture.

### **6.2 Technical Recommendations**

Addressing the infrastructural challenges that hinder ML adoption in rural areas requires targeted investments. Prioritizing the deployment of edge computing systems powered by solar energy can significantly mitigate the issues of unreliable electricity and poor connectivity. Moreover, promoting open data policies is essential to facilitate the effective training and validation of ML models by allowing wider access to diverse datasets. To ensure seamless integration and functionality, it is also crucial to implement interoperable platforms that can interface smoothly with existing agricultural management systems.

### **6.3 Capacity Building**

Building the capacity of stakeholders is fundamental for the long-term success of ML in agriculture. Launching community-based digital literacy programs tailored for farmers will empower them to understand and engage with ML tools. Furthermore, establishing dedicated ML training hubs in collaboration with local universities will foster a skilled local workforce equipped to develop and maintain ML solutions. Providing scholarships and internship opportunities for local students in artificial intelligence and data science will also enhance the regional talent pool and ensure sustainable growth in the sector.

### **6.4 Community Engagement**

Active community engagement is vital for the relevance and adoption of ML solutions. Involving local farmers directly in the design and development of ML models ensures that the solutions address real needs and local challenges. To make ML insights more accessible, these outputs should be translated into local languages and disseminated via mobile SMS and voice alerts. Additionally, incorporating traditional agricultural knowledge into ML datasets can enhance the contextual relevance and accuracy of predictive models, creating solutions that resonate more deeply with local practices.

### **6.5 Data and Monitoring**

Improving data collection and monitoring systems is key to supporting data-driven decision-making in agriculture. Strengthening climate data collection networks through collaborations between public and private stakeholders will enhance the quality and coverage of environmental data. The development of real-time monitoring dashboards can equip policymakers with timely insights to inform responsive

interventions. Finally, promoting the standardization of data collection methods across counties will ensure consistency, comparability, and reliability of data used in ML applications countrywide.

## 7. Suggested Areas for Further Research

- i. Assess long-term impacts of ML interventions on community resilience, yields, and economic outcomes.
- ii. Explore frameworks for effectively integrating traditional forecasting methods into ML systems.
- iii. Investigate how ML technologies affect different gender groups in terms of access, adoption, and benefit.
- iv. Quantify economic returns on ML investments in rural climate resilience.
- v. Evaluate the carbon footprint and energy use of different ML systems used in agriculture.
- vi. Study the adaptability of ML models trained in North Rift for use in other Kenyan regions or East Africa.
- vii. Innovate algorithms that perform well under hardware, data, or connectivity constraints.
- viii. Examine ethical considerations in using community data and the implications for data governance.
- ix. Investigate how evidence-based ML research informs national and county-level climate policy.
- x. Study psychological and social factors influencing the adoption of ML technologies among smallholder farmers.

## References

- [1] Ahmed, K., & Smith, J. (2023). Machine Learning Applications in Climate Change Adaptation: A Review. *Journal of Environmental Technology*, 45(2), 112-128.
- [2] Anderson, J., & Smith, P. (2024). Machine learning applications in agricultural systems: A comprehensive review. *Journal of Agricultural Technology*, 15(2), 123-145.
- [3] Brown, R., & Johnson, M. (2023). Climate change adaptation through technological innovation: Case studies from East Africa. *Environmental Management Review*, 28(4), 567-589.
- [4] Carter, E., & Davis, L. (2024). Implementation challenges of ML systems in developing regions: A systematic review. *International Journal of Environmental Technology*, 12(1), 45-67.
- [5] Chen, X., et al. (2023). Applications of AI in Climate Change Mitigation. *Nature Climate Change*, 13, 456-469.
- [6] Davidson, K., & Wilson, R. (2023). Integrating traditional knowledge with machine learning: Opportunities and challenges. *Indigenous Knowledge Systems Journal*, 8(3), 234-256.
- [7] Evans, M., & Thompson, S. (2024). Resource optimization using ML: Current state and future directions. *Journal of Resource Management*, 19(2), 178-195.

- [8] Food and Agriculture Organization. (2023). *Digital Agriculture Transformation: Solutions for Sustainable Development*. Rome: FAO
- [9] Hassan, R., & Mohammed, A. (2023). Climate Risk Assessment Using AI: Case Studies from East Africa. *Environmental Monitoring and Assessment*, 195(4), 1-15.
- [10] Johnson, K., & Patel, R. (2023). Machine Learning in Agricultural Decision Support Systems. *Computers and Electronics in Agriculture*, 198, 106345.
- [11] Kimutai, R., & Ochieng, P. (2023). Climate Change Impacts in Kenya's North Rift Region. *East African Journal of Environmental Studies*, 12(4), 78-92.
- [12] Makokha, J. W., Masayi, N. N., Barasa, P., Ikoha, P. A., Konje, M. M., Mutonyi, J., Okello, V. S., Wechuli, A. N., Majengo, C. O., & Khamala, G. W. (2024). Assessing the long-term changes in selected meteorological parameters over the North-Rift, Kenya: A regional climatology perspective. *Hydrology*, 12(3), 59–76. <https://doi.org/10.11648/j.hyd.20241203.12>
- [13] Makokha, J. W., Barasa, P. W., & Khamala, G. W. (2025). Enhancing climate resilience: A data-driven North Rift weather prediction system for real-time forecasting and agricultural decision support.
- Heliyon, 11, e42549. <https://doi.org/10.1016/j.heliyon.2025.e42549>
- [14] Martinez, M., & Kumar, A. (2023). Machine Learning for Climate Risk Assessment: A Systematic Review. *Climate Risk Management*, 18, 45-62.
- [15] Odhiambo, G., & Kimani, P. (2023). Technology Adoption in Kenyan Agriculture. *African Journal of Science and Technology*, 14(3), 178-192.
- [16] Otieno, J., & Kiprop, W. (2023). Agricultural Technology Adoption in Kenya's North Rift. *African Journal of Agricultural Research*, 15(3), 234-248.
- [17] Smith, P., & Brown, T. (2023). AI for Sustainable Agriculture: A Review. *Agricultural Systems*, 195, 103305.
- [18] United Nations Development Programme. (2023). *Climate Change Adaptation in Kenya: Progress Report 2023*. New York: UNDP.
- [19] World Bank. (2023). *Technology Adoption in Agricultural Communities: Case Studies from East Africa*. Washington, DC: World Bank Publications.
- [20] Wanjiku, M., & Ndungu, J. (2023). Climate Change Adaptation Strategies in Kenya. *Journal of Climate Change Adaptation*, 8(2), 145-160.
- [21] World Meteorological Organization. (2023). *Climate Change Impacts in East Africa: Technical Report*. Geneva: WMO.
- [22] Zhang, L., et al. (2023). Machine Learning for Weather Prediction: A Comprehensive Review. *Weather and Climate Extremes*, 25, 100278.